

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6692552").PN.	USPAT	OR	OFF	2005/03/19 17:08
L2	18	("2737479" "2878891" "3074878" "3835029" "4288235" "4348364" "4433984" "4591427" "4701307" "4756886" "4961863" "5176815" "5259855" "5376261").PN. OR ("6692552").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:12
L3	14	US-2737479-\$ DID. OR US-2878891-\$ DID. OR US-3074878-\$ DID. OR US-3835029-\$ DID. OR US-4288235-\$ DID. OR US-4348364-\$ DID. OR US-4433984-\$ DID. OR US-4756886-\$ DID. OR US-4961863-\$ DID. OR US-5259855-\$ DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:12
L4	0	3 not 2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:13
L5	33765	riser	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:29
L6	179165	separator cyclone	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:29
L7	3208	bath adj tub	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:29
L8	4	5 and 6 and 7	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:15
L9	1372	5 with 6	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:16
L10	190573	cracked cracking fcc	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:16
L11	820	9 and 10	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:46
L12	2074082	solid solids catalyst particles	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:29
L13	520697	tray tub cup	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:29

L14	254	6 with 12 with 13	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:24
L15	20	5 and 14	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:24
L16	0	("2921818").URPN.	USPAT	OR	OFF	2005/03/19 17:28
L17	4590	riser	EPO; JPO	OR	OFF	2005/03/19 17:29
L18	55221	separator cyclone	EPO; JPO	OR	OFF	2005/03/19 17:29
L19	2545	bath adj tub	EPO; JPO	OR	OFF	2005/03/19 17:29
L20	476157	solid solids catalyst particles	EPO; JPO	OR	OFF	2005/03/19 17:29
L21	76879	tray tub cup	EPO; JPO	OR	OFF	2005/03/19 17:29
L22	154	17 with 18	EPO; JPO	OR	OFF	2005/03/19 17:29
L23	0	19 and 22	EPO; JPO	OR	OFF	2005/03/19 17:29
L24	2	22 and 20 and 21	EPO; JPO	OR	OFF	2005/03/19 17:29
L25	478762	spacing spacer	USPAT	OR	OFF	2005/03/19 17:34
L26	758394	collar ring	USPAT	OR	OFF	2005/03/19 17:34
L27	27013	25 with 26	USPAT	OR	OFF	2005/03/19 17:31
L28	18688	riser	USPAT	OR	OFF	2005/03/19 17:31
L29	26	27 with 28	USPAT	OR	OFF	2005/03/19 17:31
L30	2741853	spacing spacer position positioning	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:35
L31	945862	collar ring	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:34
L32	207258	30 with 31	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:35
L33	88257	fcc or riser or cracking	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:35
L34	2722	32 and 33	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:35
L35	1222	32 same 33	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:35
L36	361029	spacing spacer	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:35
L37	361029	30 with 36	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:36
L38	26151	31 with 36	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:36
L39	402	33 and 38	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:36
L40	14	riser with 38	USOCR; EPO; JPO	OR	OFF	2005/03/19 17:36

L41	5	(US-4160801-\$).did. or (US-2733282-\$ or US-2749285-\$ or US-2760911-\$ or US-2921818-\$). did.	USPAT; USOCR	OR	OFF	2005/03/19 17:44
L42	305497	steam	USPAT; USOCR	OR	OFF	2005/03/19 17:44
L43	4	41 and 42	USPAT; USOCR	OR	OFF	2005/03/19 17:44
L44	329809	steam	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 17:46
L45	731	11 and 44	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/19 18:17
L46	842	dipleg	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/19 18:18
L47	1189270	cap tray cup trough	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/19 18:22
L48	11	46 with 47	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/19 18:18
L49	1	("2984542").URPN.	USPAT	OR	OFF	2005/03/19 18:21
L50	848445	seal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/19 18:22
L51	47	46 near4 50	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/19 18:22
L52	45	51 not 48	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/19 18:23